

**Laundry Machines  
for any use**



**AQUASTAR**  
LAUNDRY SOLUTIONS

# New ways to use water



**AQUASTAR**  
LAUNDRY SOLUTIONS



## Working with an internationally prestigious brand

In order to satisfy the continuous and growing demand of Laundry Equipments, REALSTAR has founded a new division that take the name of AQUASTAR, that can supply a complete series of laundry for Industrial plant, Hospital, Hotels and Laundromat AQUASTAR is the perfect partner for professional carrying out comprehensive projects for global clients; a prestigious company offering quality products and competitive pre- and post-sales service.


## A solution for every customer

It doesn't matter how large or small your business is or what your requirements are: AQUASTAR can cater for them perfectly and provide you with a specific solution for every need. We offer much more than just equipment sales: we offer all-round comprehensive Laundry Solutions. Our range of washing, drying and ironing machines consists of state-of-the-art models designed for establishments of all kinds, from large hotel chains to small businesses, with a significant market presence in areas such as hospitals and health centres or coin laundry.

## Coin Laundry AQUASTAR

AQUASTAR can provide all types of machinery, accessories and consultation for one of the fastest-growing areas of the industrial laundry sector, with a set of solutions guaranteeing the smooth functioning of any coin laundry installation, and our own systems for managing maintenance and payment processes. As regards payment processes, we have two systems to facilitate and automate the process: the basic coin operated washer extractor model (MA version) is designed for connection to a central payment unit, with no need for new or additional installations. For greater versatility, we have developed latest generation kits that can easily be mounted on the basic model, for instant adaptation of the washer extractor to fit an electronic coin/token slot.

# TOUCH SCREEN COMPUTER



As a new feature in all ranges, we are presenting the TOUCH SCREEN COMPUTER, as well normal spin, fast spin and high spin washer extractor, which makes AQUASTAR range of washer, one of the widest in the market.



## TOUCH SCREEN

Touch Screen of 4.3"

Programmer: 33 available languages.

USB port for washer's software updates and other application

Touch Screen Computer for OPL washer and coin washer



## PROGRAMMING

User-friendly and intuitive programming.

26 pre-set program.

Possibility of programming, exporting and importing new programs (USB port)

Coin mode: a price can be assigned to each program



## FLEXIBILITY

8 signals for automatic liquid dosing, programmable in time and delay

Delayed start, Timer (real time date)

3 standard water intakes

Configuration of washing and spinning speed

Complete regulation of water levels

Adjustable washing temperature from 20°C a 90°C

Standard WET CLEANING System

Main screen display and washing process, screen can be modified. with parameters and images suiting each client.

LOADING AID feature with water and rotation control for easy loading of the linen



## ENERGY EFFICIENCY

4 Economic programs

REST mode, with automatic switch off.

Water recovery system, with double drain option. Water savings up to 70%.

OPTION: Automatic weighing system, up to 30% savings. (automatic adjustment of water and soap consumption, as well as energy savings, according to the load which is automatically measured by the washer)

Optimal consumption standard. Manual indication of the load





## The perfect balance between quality and price

This range of washer extractors is the greatest recent development for AQUASTAR of great interest for all the catering and laundry sector areas, particularly the self-service sector.

It combines top-class features with a higher than- average performance, always geared to achieving greater energy efficiency during the wash, spin and dry processes.

This range of hard mounted machines – require floor fixing – includes **11, 14, 18** and **25 kg** capacity models.

All of them have a **G factor of 300**, meaning better water extraction and higher energy efficiency.

This improved G factor is much higher than that of other washer extractors in this category and has been achieved thanks to the electronic unbalance control on extraction.



- A skin plate body, more durable and hard-wearing than painted plate, and high quality components.
- Square structural pipe framework, highly resistant, prolonging the product's lifetime.
- Easier repairs, with alarms, statistics control, Memory, repair kits and a drum that can be removed via the front of the appliance, reducing the minimum space and time required.
- New detergent compartment with non-return system.
- Easy connection for automatic product dispensing.
- Automatic unbalance detection system enabling gentler movement and prolonging the components' lifetime.
- G factor of 300 on all models.
- Standard frequency inverter.



**HARD-MOUNTED machine type  
NEED anchoring to the floor**

**MAQ2 **M****  
Series

Model	Capacity	Extraction Speed	G Factor	Noise Level	Dimensions LxPxH mm	Net Weight
MAQ2 M 25	25 Lbs	929 r.p.m.	300	60 dB (A)	719 x 684 x 1158	Kg. 217
MAQ2 M 30	30 Lbs	929 r.p.m.	300	60 dB (A)	719 x 830 x 1158	Kg. 239
MAQ2 M 40	40 Lbs	874 r.p.m.	300	60 dB (A)	788 x 840 x 1307	Kg. 281
MAQ2 M 60	60 Lbs	836 r.p.m.	300	60 dB (A)	884 x 1011 x 1340	Kg. 340

## Series: MAQ2 M - TC

		M 11	M 14	M 18	M 25
<b>DRUM</b>					
Load Capacity	Kg	10	13	18	25
Drum Volume	Lt	100	130	180	250
Basket diameter	∅	620	620	620	700
Depth basket	mm	330	430	600	670
Washing Speed	G/min	50	50	50	47
Extraction Speed	G/min	760	760	760	690
"G" Factor		200	200	200	200
Noise Level	Db	60	60	60	60

### LOADING DOOR

Height Center door	mm	570	570	655	700
Door diameter	∅	373	373	373	373

### POWER

Motor power	Kw	0,75	1,5	2,2	3
Electric Heating	Kw	6	9	12	18
Total Power for ELECTRIC Version	Kw	6,25	9,5	12,75	19
Total Power for STEAM Version	Kw	0,75	1,5	2,2	3
Total Power for HOT WATER Version	Kw	0,75	1,5	2,2	3

### CONNECTIONS

Drain water	∅	3"	3"	3"	3"
Water inlet	∅	3/4"	3/4"	3/4"	3/4"
Water Pressure	Bar	2 ÷ 4	2 ÷ 4	2 ÷ 4	2 ÷ 4
Steam Inlet (only for STEAM Version)	∅	1/2"	1/2"	1/2"	3/4"

### MACHINE DIMENSIONS

Front Width	mm	719	719	788	884
Depth	mm	665	810	828	965
Height	mm	1158	1158	1308	1318
NET Weight	Kg	217	239	281	340

### MACHINE DIMENSIONS with PACKING

Front Width	mm	800	800	860	930
Depth	mm	990	990	1010	1150
Height	mm	1350	1350	1500	1500
GROSS Weight	Kg	225	247	301	370
Volume	mt3	1,07	1,07	1,3	1,6